

# ROOM

WWW.ROOMONLINE.COM



---

## ARTÉS PENDANT BY CTO LIGHTING

600 - 24" W x 3.5" D x 40" H

900 - 35" W x 3.5" D x 40" H

1200 - 24" W x 3.5" D x 40" H

SUPPLIED WITH A 1000MM DROP ROD AS STANDARD — ADJUSTABLE ON SITE. ADDITIONAL DROP ROD AT \$190/1000MM. FOR INSTALLATION A MINIMUM DROP ROD OF 100MM IS REQUIRED, MAXIMUM 3000MM. MOUNTS ON TO A 4" JUNCTION BOX.

AVAILABLE IN FULL BRONZE, FULL ANTIQUE BRONZE, BRONZE WITH SATIN BRASS DETAILS OR SATIN BRASS, WITH HONED ALABASTER. STONE MARKINGS MAY VARY.

ITEM NO. LI332

## ARTES 600 PENDANT

### FINISH

antique bronze with antique bronze details and honed alabaster  
 bronze with bronze details and honed alabaster  
 bronze with satin brass details and honed alabaster  
 satin brass with satin brass details and honed alabaster

### DIMENSIONS (body of fixture)

610 x 45 x 90 mm (w x d x h)

### WEIGHT

6kg (13.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 135 mm  
 supplied with 1000mm drop rod (12.7 mm dia) as standard  
 (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 16w - 2700k  
 110-130v - integrated LED - 16w - 2700k  
 LED driver integrated in the body of the light



### DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard  
 DALI option available (220-240v only)  
 0/1-10v (220-240v or 110-130v) - on request


### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  116 x 25 mm (dia x h)

### CERTIFICATION



mounting plate dimensions



\*Diagrams are not to scale.

## ARTES 600 PENDANT - DALI-A

### FINISH

antique bronze with antique bronze details and honed alabaster  
 bronze with bronze details and honed alabaster  
 bronze with satin brass details and honed alabaster  
 satin brass with satin brass details and honed alabaster

### DIMENSIONS (body of fixture)

610 x 45 x 90 mm (w x d x h)

### WEIGHT

6kg (13.2lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 135 mm  
 supplied with 1000mm drop rod (12.7 mm dia) as standard  
 (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 16w - 2700k  
 DALI LED driver integrated in the body of the light



### DIMMING

DALI compatible


### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  116 x 25 mm (dia x h)

### CERTIFICATION



mounting plate dimensions



\*Diagrams are not to scale.

## ARTES 600 PENDANT

### ARTES 600 PENDANT

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ARTPE6ABABHA-240	antique bronze with antique bronze details and honed alabaster	220 - 240V
ARTPE6BZBZHA-240	bronze with bronze details and honed alabaster	220 - 240V
ARTPE6BZSBHA-240	bronze with satin brass details and honed alabaster	220 - 240V
ARTPE6SBSBHA-240	satin brass with satin brass details and honed alabaster	220 - 240V
ARTPE6ABABHA-110	antique bronze with antique bronze details and honed alabaster	110 - 130V
ARTPE6BZBZHA-110	bronze with bronze details and honed alabaster	110 - 130V
ARTPE6BZSBHA-110	bronze with satin brass details and honed alabaster	110 - 130V
ARTPE6SBSBHA-110	satin brass with satin brass details and honed alabaster	110 - 130V

### ARTES 600 PENDANT - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ARTPE6ABABHA-DALIA-240	antique bronze with antique bronze details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V
ARTPE6BZBZHA-DALIA-240	bronze with bronze details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V
ARTPE6BZSBHA-DALIA-240	bronze with satin brass details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V
ARTPE6SBSBHA-DALIA-240	satin brass with satin brass details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V

## ARTES 900 PENDANT

### FINISH

antique bronze with antique bronze details and honed alabaster  
 bronze with bronze details and honed alabaster  
 bronze with satin brass details and honed alabaster  
 satin brass with satin brass details and honed alabaster

### DIMENSIONS (body of fixture)

900 x 45 x 90 mm (w x d x h)

### WEIGHT

8kg (17.6lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 135 mm  
 supplied with 1000mm drop rod (12.7 mm dia) as standard  
 (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 24w - 2700k  
 110-130v - integrated LED - 24w - 2700k  
 LED driver integrated in the body of the light


### DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard  
 DALI option available (220-240v only)  
 0/1-10v (220-240v or 110-130v) - on request

### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  116 x 25 mm (dia x h)

### CERTIFICATION



\*Diagrams are not to scale.

## ARTES 900 PENDANT - DALI-A

### FINISH

antique bronze with antique bronze details and honed alabaster  
 bronze with bronze details and honed alabaster  
 bronze with satin brass details and honed alabaster  
 satin brass with satin brass details and honed alabaster

### DIMENSIONS (body of fixture)

900 x 45 x 90 mm (w x d x h)

### WEIGHT

8kg (17.6lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 135 mm  
 supplied with 1000mm drop rod (12.7 mm dia) as standard  
 (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 24w - 2700k  
 DALI LED driver integrated in the body of the light


### DIMMING

DALI compatible

### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  116 x 25 mm (dia x h)

### CERTIFICATION



\*Diagrams are not to scale.

## ARTES 900 PENDANT

### ARTES 900 PENDANT

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ARTPE9ABABHA-240	antique bronze with antique bronze details and honed alabaster	220 - 240V
ARTPE9BZBZHA-240	bronze with bronze details and honed alabaster	220 - 240V
ARTPE9BZSBHA-240	bronze with satin brass details and honed alabaster	220 - 240V
ARTPE9SBSBHA-240	satin brass with satin brass details and honed alabaster	220 - 240V
ARTPE9ABABHA-110	antique bronze with antique bronze details and honed alabaster	110 - 130V
ARTPE9BZBZHA-110	bronze with bronze details and honed alabaster	110 - 130V
ARTPE9BZSBHA-110	bronze with satin brass details and honed alabaster	110 - 130V
ARTPE9SBSBHA-110	satin brass with satin brass details and honed alabaster	110 - 130V

### ARTES 900 PENDANT - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ARTPE9ABABHA-DALIA-240	antique bronze with antique bronze details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V
ARTPE9BZBZHA-DALIA-240	bronze with bronze details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V
ARTPE9BZSBHA-DALIA-240	bronze with satin brass details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V
ARTPE9SBSBHA-DALIA-240	satin brass with satin brass details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V

## ARTES 1200 PENDANT

### FINISH

antique bronze with antique bronze details and honed alabaster  
 bronze with bronze details and honed alabaster  
 bronze with satin brass details and honed alabaster  
 satin brass with satin brass details and honed alabaster

### DIMENSIONS (body of fixture)

1190 x 45 x 90 mm (w x d x h)

### WEIGHT

10kg (22lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 135 mm  
 supplied with 1000mm drop rod (12.7 mm dia) as standard  
 (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 32w - 2700k  
 110-130v - integrated LED - 32w - 2700k  
 LED driver integrated in the body of the light



### DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard  
 DALI option available (220-240v only)  
 0/1-10v (220-240v or 110-130v) - on request


### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  116 x 25 mm (dia x h)

### CERTIFICATION



mounting plate dimensions



\*Diagrams are not to scale.

## ARTES 1200 PENDANT - DALI-A

### FINISH

antique bronze with antique bronze details and honed alabaster  
 bronze with bronze details and honed alabaster  
 bronze with satin brass details and honed alabaster  
 satin brass with satin brass details and honed alabaster

### DIMENSIONS (body of fixture)

1190 x 45 x 90 mm (w x d x h)

### WEIGHT

10kg (22lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 135 mm  
 supplied with 1000mm drop rod (12.7 mm dia) as standard  
 (adjustable on site)

### ILLUMINATION

220-240v - integrated LED - 32w - 2700k  
 DALI LED driver integrated in the body of the light


### DIMMING

DALI compatible

### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  116 x 25 mm (dia x h)

### CERTIFICATION



\*Diagrams are not to scale.

## ARTES 1200 PENDANT

### ARTES 1200 PENDANT

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
ARTPEIABABHA-240	antique bronze with antique bronze details and honed alabaster	220 - 240V
ARTPEIBZBZHA-240	bronze with bronze details and honed alabaster	220 - 240V
ARTPEIBZSBHA-240	bronze with satin brass details and honed alabaster	220 - 240V
ARTPEISBSBHA-240	satin brass with satin brass details and honed alabaster	220 - 240V
ARTPEIABABHA-110	antique bronze with antique bronze details and honed alabaster	110 - 130V
ARTPEIBZBZHA-110	bronze with bronze details and honed alabaster	110 - 130V
ARTPEIBZSBHA-110	bronze with satin brass details and honed alabaster	110 - 130V
ARTPEISBSBHA-110	satin brass with satin brass details and honed alabaster	110 - 130V

### ARTES 1200 PENDANT - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
ARTPEIABABHA-DALIA-240	antique bronze with antique bronze details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V
ARTPEIBZBZHA-DALIA-240	bronze with bronze details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V
ARTPEIBZSBHA-DALIA-240	bronze with satin brass details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V
ARTPEISBSBHA-DALIA-240	satin brass with satin brass details and honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted in the body of the light	220 - 240V